
CCAH and RRNC Update 8/22





Read me

This proposed revision to ANSI/AARST publications CCAH 2000 and RRNC 2020 addresses radon testing after completing construction of new homes in accordance CCAH 2000 or RRNC 2020. This revision is part of continuous maintenance efforts to harmonize and update AARST CCAH, RRNC and CC-1000 standards.

Latest published versions of these standards are available for comparison at www.standards.aarst.org where all ANSI/AARST standards can be found for review at no charge and for purchase.

The current mitigation standards committee roster (consensus body) can be linked to from www.standards.aarst.org/public-review. The current work project includes (1) harmonization, where possible, for all portions of these documents to read the same for the same tasks; (2) update based on new experiences, and (3) renderings that are more conductive to stakeholders who are involved in compliance assessment.

A link to receive future public review notices and bylaw procedures for the AARST Consortium on National Radon Standards are available at www.standards.aarst.org/public-review.

Public Review: CCAH and RRNC Updates 8-22

COMMENT DEADLINE: August 21st, 2022

REQUESTED PROCESS AND FORM FOR FORMAL PUBLIC REVIEW COMMENTS

Submittals (MS Word preferred) may be attached by email to StandardsAssist@gmail.com

- 1) Do not submit marked-up or highlighted copies of the entire document.
- 2) If a new provision is proposed, text of the proposed provision must be submitted in writing. If modification of a provision is proposed, the proposed text must be submitted utilizing the strikeout/underline format.
- 3) For substantiating statements: Be brief. Provide abstract of lengthy substantiation. (If appropriate, full text may be enclosed for project committee reference.)

REQUESTED FORMAT

Title of Public Review Draft: **CC-1000 Updates 8-22**

• Name:	Affiliation:
• Clause or Subclause:	
• Comment/Recommendation:	
• Substantiating Statements:	
• [] Check here if your comment is so order to resolve your comment.	upportive in nature and does not require substantive changes in the current proposal in

Repeat the five bullet items above for <u>each</u> comment.

AARST Consortium on National Radon Standards

527 N Justice Street, Hendersonville, NC 28739

The Consortium Consensus Process

The consensus process developed for the AARST Consortium on National Radon Standards and as accredited to meet essential requirements for American National Standards by the American National Standards Institute (ANSI) has been applied throughout the process of approving this document.

Continuous Maintenance

This standard is under continuous maintenance by the AARST Consortium on National Radon Standards for which the Executive Stakeholder Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the standard.

User Tools: User tools are posted online (<u>www.standards.aarst.org/public-review</u>) as they become available (such as templates for field notices, inspection forms, interpretations and approved addenda updates across time).

Notices

Notice of right to appeal: Bylaws for the AARST Consortium on National Radon Standards are available at www.standards.aarst.org/public-review.. Section 2.1 of Operating Procedures for Appeals (Appendix B) states, "Persons or representatives who have materially affected interests and who have been or will be adversely affected by any substantive or procedural action or inaction by AARST Consortium on National Radon Standards committee(s), committee participant(s), or AARST have the right to appeal; (3.1) Appeals shall first be directed to the committee responsible for the action or inaction."

Disclaimer: The AARST Consortium on National Radon Standards strives to provide accurate, complete and useful information. The AARST Consortium on National Radon Standards will make every effort to correct errors brought to its attention. However, neither the AARST Consortium on National Radon Standards, its sponsoring organization the American Association of Radon Scientists and Technologists nor any person contributing to the preparation of this document makes any warranty, express or implied, with respect to the usefulness or effectiveness of any information, method or process disclosed in this material. Nor does AARST or the AARST Consortium on National Radon Standards assume any liability for the use of, or for damages arising from the use of, any information, method or process disclosed in this document. It is the sole responsibility of radon practitioners using this standard to stay current with changes to the standard and to comply with local, state and federal codes and laws relating to their practice.

Proposed CCAH Revision

Commentary/Rationale: The proposed revision to Section 801 is a result of efforts to more closely harmonize with other AARST standards and current codes related to this topic.

SECTION 801 RADON TESTING

801.1 Radon testing

A short-term *radon* test shall be initiated <u>performed prior to or</u> within 60 days of occupancy and shall be performed by a *certified/licensed* measurement professional. Testing shall be performed in accordance with ANSI/AARST MAH "*Protocol for Conducting Measurements of Radon and Radon Decay Products in Homes*" or applicable state protocols or requirements. Where testing results are greater than the *NAL*, a *certified/licensed* mitigation professional shall be required to perform diagnostic tests and mitigation action and *radon* testing shall be required until *radon* concentrations to below the *NAL* are achieved. The final written test report with results less than the NAL shall be provided to the authority having jurisdiction.

Proposed Addition to RRNC (replicated)

Commentary/Rationale: The replicated proposed addition (Section 801) is a result of efforts to more closely harmonize with other AARST standards and current codes related to this topic.

SECTION 801 RADON TESTING

801.1 Radon testing

A short-term *radon* test shall be initiated performed prior to or within 60 days of occupancy and shall be performed by a *certified/licensed* measurement professional. Testing shall be performed in accordance with ANSI/AARST MAH "Protocol for Conducting Measurements of Radon and Radon Decay Products in Homes" or applicable state protocols or requirements. Where testing results are greater than the NAL, a *certified/licensed* mitigation professional shall perform diagnostic tests and mitigation action until *radon* concentrations to below the NAL are achieved. The final written test report with results less than the NAL shall be provided to the authority having jurisdiction.